


BACKGROUND

- DLS is the only governmental organization in Jordan that is responsible for:
 - Land registration.
 - Cadastral surveying.
- DLS mission/Vision.
- The maps were established over time by different methods and scales with a lot of imperfections

Department of Lands & Survey



BACKGROUND

- These maps don't comply with :
 - Current high prices of lands.
 - The expectations of owners.
 - The conflicts between owners because of parcels boundaries.


→ all these factors are pushing for improving the cadastral information and making it available in an easy and friendly form which resulted in adopting <u>a large project for the conversion</u> of these hard copy maps .

Department of Lands & Survey


DLS business


- **1.** Expansion of CIS to all 32 Land Registration Directorates (LRDs).
- DLS managed to recover the cost of the digitizing process during the first 5 years through selling digital cadastral maps to all public and private institutions.


Department of Lands & Survey



















Benefits of the project JDCDB is the basic layer for LIS. Decreasing transactions' time. Real time support for decision making. Providing different services. Supporting land property valuation. Enhancing spatial accuracy by applying the concept of partial renewal.

Department of Lands & Survey

Planning Methodology

- Time frame to conclude the project (1995-2000).
- Steering and technical committees supervised and controlled the whole process of the project to insure that the objectives were met.
- 45 workstations, 3 plotters, 3 printers, 2 scanners, 68 employees and proper software have been acquired for the project from the early beginning.
- Requirements (user needs) in JDCDB.

Department of Lands & Survey

Scanning process

- > Optical Scanning.
- Less size format.
- North to the top.
- Systematic Shrinkage :- Bad status maps handled by adhesive tapes and their accuracy checked by measuring 6 comparison distances.
- Checking :- the distortion in (x,y) not exceed 0.04cm, if the tolerance 0.4mm was overstepped, the scanning process was repeated.

Department of Lands & Survey


> No edits for raster data.





Heads-up digitization


- Heads-up digitization process is cheaper, faster, more consistent coordinates and more accurate than table digitizing.
- Heads-up digitization for poor quality sheets was more effective and easy to learn.








































CONCLUSION/COMMENTS

- 1. It was necessary to have software capable of presenting all residuals as vectors on the screen.
- 2. Distortions of mechanical movement in scanning process affected the results in large magnitude.
- 3. Very bad status of some cadastral analogue sheets took more time during scanning and vectorization (10 times more than usual).
- 4. Having parcel data model would be much better if it preceded the conversion project.
- 5. Tangible results helps to change strong resistance happened at the beginning.

Department of Lands & Survey

