

## Capacity Development in the Pacific Region

### Pacific Geospatial & Surveying Council SPC Partnership Desk

Email: pgsc\_desk@spc.int



Sponsors:

Trimble.



**TS03B: Coordination of Global Capacity Development** 



# What is the PGSC?

### Pacific Geospatial and Surveying Council

- Independent regional body advancing geospatial and surveying standards and capacity
- Established in the margins of the Pacific GIS/RS User Conference in November 2014
- Governed by the **PGSC Charter** endorsed by 11 Pacific Island governments
- Implementing and monitoring progress against the PGSC Strategy (2017-2027)
- Supported by PGSC Partnership Desk Pacific Community (SPC)



Sponsors:




#### FIG/SGP/ICG/IAG/IGS Technical Seminar TS03B: Coordination of Global Capacity Development



The Pacific Geospatial and Surveying Council and the Partnership Desk brings together regional experts, practitioners, and heads of surveying, geospatial information management, and hydrography to report progress against the PGSC Strategy (2017–2027), conduct council business, identify key actions for working groups to progress, and provide a platform to raise regional issues and concerns related to geospatial and surveying capacity development, policy, technical standards, technology, and resourcing.

S-Trimble.

Sponsors:







**TS03B: Coordination of Global Capacity Development** 



# **Pacific Geospatial and Surveying Council**



Chair Ms Rosamond Bing, CEO - Ministry of Lands and Natural Resources (Tonga)

Vice-Chair Ms Meizyanne Hicks, Director Geospatial - Ministry of Lands and Mineral Resources (Fiji)





# PGSC Strategy 2017 - 2027

The long-term goal of the strategy is that Pacific Island survey and geospatial services are sufficiently resourced to respond to member country needs and geospatial requirements for sustainable development and is supported by the four priority areas for action (goals) identified in the Strategy and one of the goals that is aligned to capacity building is: -

Goal 2: Adopting a modern Geodetic Reference Frame (GRF) and improving the technology underpinning geospatial systems and applications





**TS03B: Coordination of Global Capacity Development** 



# PGSC Working Groups

### Positioning



Supporting countries to modernise their Geodetic Reference Frames and align to the Global model

# Geospatial Policy & Data Management



Supporting countries to develop policies and tools for improved geospatial information and data management

### **Capacity Building**



Supporting countries to build existing and future capacity through expanded professional development and educational opportunities







**TS03B: Coordination of Global Capacity Development** 



# **Strategic Partnerships**

- Support from AU-DFAT, NZ-MFAT, UN-GGIM.
- **Training** and **capacity support** from Geoscience Australia, LINZ, UN-GGIM, FIG, UKHO, USP, UNOOSA, NOAA, SPC
- Equipment and infrastructure support from GA, SPC
- MoU signed with S+SNZ (2018) and SSSi (2019)
- Links with key global and regional frameworks:
  - SDGs, UN-GGIM Roadmap, Sendai Framework, SAMOA Pathway, FRDP, FIG Suva Statement and Christchurch Declaration



**Frimble** 

Sponsors:

Pacific and New Zealand surveying and geospatial professionals join forces for capacity development



#### MoU signed with S+SNZ April 2018







# Global Geodetic Reference Frame

The UN-GGIM Roadmap...


In February 2015 the UN General Assembly adopted the resolution "A Global Geodetic Reference Frame for Sustainable Development" - the first resolution recognizing the importance of a globally-coordinated approach to geodesy.

#### As per UN Resolution A/69/L.53

In the Pacific...Australia, Fiji, New Zealand, Papua New Guinea, Samoa, Solomon Islands, Tuvalu, Vanuatu










Sponsors: Sponsors:

**TS03B: Coordination of Global Capacity Development** 



### **Geodetic Reference Frame - Pacific**





FIG/SGP/ICG/IAG/IGS Technical Seminar TS03B: Coordination of Global Capacity Development




# Geodetic Reference Frame - Pacific

- Modernise Geodetic Reference Frame
- Define the geodetic infrastructure aligned to Global Geodetic Reference Frame (GGRF)
- Compatible with IGS and positioning technology
- Near real time positioning for disaster risks and hazards
- Monitoring Earth dynamics
- Enhance geospatial capacity and capability

**rimble** 

Sponsors:





#### **TS03B: Coordination of Global Capacity Development**



#### PARTICIPATING COUNTRIES Palau Marshall Islands ederated States of Micronesia Climate and Oceans Support Kiribati Program in the Pacific Manus Island Nauru AN Tuvalu Solomon Islands Samoa Yanuatu 🙆 • Fiii Niue Tonga Cook Islands Australian Government CANBERRA Bureau of Meteorology Pacific. Community ustralian Gavernment Communauté du Pacifique Conteners Australia

## The Geodetic Infrastructure

Sponsors: Sponsors:

Pacific Sea Level & Geodetic Monitoring Project



Australian Government Geoscience Australia



**GNSS COR Station** 




#### **Tide Gauge Station**





**TS03B: Coordination of Global Capacity Development** 





# Geodetic Networks – National & Local

Sponsors: Sponsors:



**TS03B: Coordination of Global Capacity Development** 





# **Geodetic Survey Operation Training & Skills**







### Geodetic Survey Data & Info Handling Capacity


- Data Storage Capacity
- Data Downloading
- Data Conversion
- Data format & structure
- GNSS Survey Data Occupation Summary
- Locality Diagrams
- Field Survey Sheets
- Data Sources (old survey info)
- Check and verify meta data



**TS03B: Coordination of Global Capacity Development** 



### Geodetic Survey Data & Info Handling Capacity



Sponsors: Sponsors:

51,440	RYO FLE D SASUA I ICE) MACU		MNER	Y DF LAND AL RESOUR IOL SECTIO	ΩE.		0001 10 1412) 21 DP1 F31	
E E	文明.	11	E.		1004 00	· / / / /		1 (2)
SLAN)	EY' PLD VANUA I KEEBUA	EVIL	MNER	T OF LAND AL HESOUR IDL SECTIO	75 N CIC	6	Dini Di Dini Di ATE- 21 DP1 #41	1-01-3
いろ	1			j1)		/	ingram to	
Station ID	Start time	Duration	Campaign	File Name	RINEX Version	Ant Height	Ant Method	Ant Manufac
Station ID CEVA	Start time 10/11/19 1200hrs UTC	Duration 7days	Campaign Phase 1	File Name 16633153.190 16633133.190 16633140.190		Ant Height 1.692	Ant Method BQR	Ant Manufac Trimble
	1200hrs UTC	Duration 7days 7days	Campaign Phase 1 Phase 1	16633133.190	RINEX Version	Ant Height	Ant Method	Ant Manufac
CEVA	1200hrs UTC 10/11/19 1200hrs UTC			16633133.19e 16633140.19e 42703140.19e 42703140.19e 42703150.19e 42703150.19e 42703170.19e 42703170.19e 42703190.19e	RINEX Version 3.02	Ant Height 1.092	Ant Method BQR	Ant Manufac Trimble
CEVA BUIKE	1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19	7days	Phase 1	16633133.190 16633201.190 42703140.190 42703140.190 42703160.190 42703160.190 42703160.190 42703180.190 42703180.190 42703180.190	RINEX Venion 3.02 3.02	Ant Height 1.692 1.934	Ant Method BQR BON	Ant Manufact Trimble Trimble
CEVA BUIKE NAKO	1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19	7days 7days	Phase 1 Phase 1	16631313.150 16631340.150 16631240.150 42700130.150 42700130.150 42700130.150 42700130.150 42700130.150 42700130.150 MOALS120.190 MOALS120.190	RINEX Version 3.02 3.02	Ant Height 1.692 1.934	Art Method BQR BON Hook Height	Ant Manufact Trimble Trimble Leica
CEVA BUKE NAKO OALA	1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC	7days 7days 7days	Phase 1 Phase 1 Phase 1	16531313.30 1653140.190 1653140.190 42703140.190 42703160.190 42703160.190 42703160.190 42703100.190 42703100.190 42703100.190 MOAL3120.190 MOAL3120.190	RNEX   Version   3.02   3.02   3.02   2.11	Ant Height 1.692 1.934 1.625 1.764	Ant Method BQR BON Hook Height Hook Height	Ant Manufact Trimble Trimble Leica
CEVA BUKE NAKO DALA UNAV	1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC	7days 7days 7days 7days 7days	Phase 1 Phase 1 Phase 1 Phase 1	16631313.150 16631340.150 16631340.150 427001340.150 427001340.150 427001340.150 427001340.150 427001340.150 42700130.150 MAX03140.150 MOAL3130.150 UNAV3140.150	RINEX Version 3.02 3.02 3.02 2.31 3.02 2.31	Ant Height 1.692 1.934 1.625 1.764 1.74	Ant Method BQR BON Hook Height Hook Height	Ant Manufact Trimble Trimble Leica Leica
CEVA BUKE NAKO OALA UNAV	1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC 10/11/19 1200hrs UTC	7days 7days 7days 7days	Phase 1 Phase 1 Phase 1 Phase 1 Phase 1 Phase 1	2633131.150 2633120.150 2633202.150 42703130.150 42703150.150 42703150.150 4270310.150 4270310.150 4270310.150 4270320.150 MAX03140.190 UNAV3130.190 UNAV3130.190 CI83330.190	RINEX Version 3.02 3.02 3.02 3.02 2.11 3.02 2.11 3.02 3.02	Ant Height 1.692 1.934 1.625 1.764 1.764 1.693	Ant Method BQR BON Hook Height Hook Height Hook Height	Ant Manufact Trimble Trimble Leica Leica

ITATION NAME: COX 1 NA	
Departure for CON	
CONTINUE CEVA I RA I SLADO	
outer H3	
ting of static user: <u>News] Jikes STEEL NO DECASE BY Mean</u> Almentary state in sitys in concern.	t.Sm
OFTENERTIES RELIEVE OF HEAVED ANDEL INDER STATE AND ADDRESS OF THE	
00007001208 etaet bett/bAr: 08/11/2018	
TTC TIDE: 2257km	
10109987218 105 1070-7041: 17/13/2019	
inc their 0007bas	
NUM RECEIPTION TARGET	
101234, MINUTE \$333442,643	
SINGAR VERINE 4.41	
IRES ANTINAL TELEVISION IN CONTRACTOR OF CONTRACTOR OFON OFONTO OFONTO OFONTO OFONTO OFONTO OFONTO OFONTO OFONTO O	
NUME: _ TENELO	
101111: Invento : 5333441663	
NELOWE OF MERA ANTIDER ANOVE STRATES AND 1.662m	
DESCRIPTION OF THE ROLET OF THE AREA ANTERNA	
THE ARTEMA RELIEF REPRESENCE	
NOTION OF GUICE NELENSE	
MATERIA HELIGET TO JAF - 1.002m	

8133/3	Aburtha	AL 1970	841128	142	2020	2,445	TRAC	业	怒	CRAPCE.	172	1515(8)
8801825	180,280	ciety All	Abble 1	100	781	8833	τı.					

fiji Ocedetic Stations Servey Competen Metadata												
-		-	-	-	manufa.		20		=		-	
	-	-				1	1.1					1000
1	-	-	1		and in the	100			t		_	-
÷.	-	-	L .:	(minut)	-	1				-		_
+	and the second s		L	0.00010000	and some of	1.00				100		and a second
-	heri .	-	L .:	a seat second	and the second	1.00			-	1.00		-
-			100	and the second s	and the	1.00			e	and the		-
-			14	411179	1017R0.	100	_		-	10.00		
-	100		- AL	and the second s	and the second s		_	-		10.00		
-	and the second s		-	and the second s	and the second s				÷	10.00	-	_
m			Sec. 1	and the second se	and the second s	in the second			*	10.000		-
	and and		1	-	-	-10	-			-	-	-
- in the second	and in	-0.0	last.	100.00						-		L and
÷	_	1000	-	and April .	and a second	-10		100	an artic			-
÷	and the second	-	len.	10.0.001-000	-	1.14	1.100	1.000	milet.			
- ·	and a second		la la	incased."	and a second	1.00	1.4	+++	mange.	1.00		-
	and a		- in 1	dana da	_	100	100		- miler	100	1000	-
÷.,	-		here:	Instantion Inc.	Bartista.			-	-	-		-
-	-	1.00	-	mania fiar	_			- 144	1000	111		·
	and an and a second	1.44	he i	(0.3.40% (p.e)			1.00	100	mit hat	- 12	100	1.1
	-		1.0	description that		1.4	1.00	1.8.8	int hat		100	


- Generative Coefficients eserticied Tax	A PAN Intelling Super for Homosopie 1922 Dr. Son 1923 Dr. Son 1924 Dr. Son 1925 Dr. Son 1	Colline resolute finalities differenties (Colline 1990, 1996, 1998) Colline (Colline) (Colline) Colline (Colline) (Colline) (Colline) Consist of present in reput Consist Colline) Colline (Colline)
	Property of the Property of the State States of the States of the States of	



**TS03B: Coordination of Global Capacity Development** 



# **Geodetic Data Release Report**







FIG/SGP/ICG/IAG/IGS Technical Seminar TS03B: Coordination of Global Capacity Development



# Benefits

- Operational Capacity
- Data Processing & Analysis Capacity
- Data Storage
- Data Sharing
- Data Downloading
- Data Conversions
- GNSS CORS maintenance and infrastructure
- Data accessibility

**Trimble** 

Sponsors:



**TS03B: Coordination of Global Capacity Development** 



# Workplan – Geospatial Reference System


- Survey Data Processing and Analysis
- Survey Results
- Transformation Parameters
- Transformation Tools
- GNSS CORS infrastructure maintenance plan
- Data Sharing and management
- Capacity Building & Advocacy

**rimble** 

Sponsors:

- Monitoring GNSS CORS
- Definitions Vertical Reference Frame
- Definitions Global Geodetic Reference Frame
- Cadastral and Topographical datasets (geospatial data transformations)
- Further collaboration efforts and partnerships





**TS03B: Coordination of Global Capacity Development** 



# Capacity Development in the Pacific Region ......in progress

### Positioning Pacific Island Countries and Territories for the Future



